



Lighting Fixture Schedule						
Type Mark	Description	Manufacturer	Model	Lamp	Wattage Comments	Count
A	LumiStreet Gen2 Micro_BGP291_DRXN1_1600_6LED_5.2S_CLO_L90_730.ies	Philips	BGP291 DRXN1	LED-HB 5.2S 730	1.60 km	51
B	LumiStreet Gen2 Micro_BGP291_DX51_6000_20LED_5.2S_CLO_L90_730.ies	Philips	BGP291 DX51	LED-HB 5.2S 730	6.00km	34
C	LumiStreet Gen2 Micro_BGP291_DW50_5000_20LED_5.2S_CLO_L90_730.ies	Philips	BGP291 DW50	LED-HB 5.2S 730	5.00km	102
D	LumiStreet Gen2 Mini_BGP292_DX50_11000_40LED_5.2S_CLO_L90_730.ies	Philips	BGP292 DW50	LED-HB 5.2S 730	11.00km	20
E	LumiStreet Gen2 Mini_BGP292_DX50_12000_40LED_5.2S_CLO_L90_730.ies	Philips	BGP292 DX50	LED-HB 5.2S 730	12.00km	4
F	LumiStreet Gen2 Micro_BGP292_DX51_12000_40LED_5.2S_CLO_L90_730.ies	Philips	BGP292 DX51	LED-HB 5.2S 730	12.00km	28

1 Lighting Services - Site
1 : 1500

Legend

- LumiStreet Gen2
Micro_BGP291_DRXN1_1600_6LED_5.2S_CLO_L90_730.ies
- LumiStreet Gen2
Micro_BGP291_DW50_5000_20LED_5.2S_CLO_L90_730.ies
- LumiStreet Gen2
Micro_BGP291_DX51_6000_20LED_5.2S_CLO_L90_730.ies
- LumiStreet Gen2
Micro_BGP292_DX51_12000_40LED_5.2S_CLO_L90_730.ies
- LumiStreet Gen2
Mini_BGP292_DW50_11000_40LED_5.2S_CLO_L90_730.ies
- LumiStreet Gen2
Mini_BGP292_DX50_12000_40LED_5.2S_CLO_L90_730.ies

General Notes:

- This drawing is to be read in conjunction with all relevant Architect's and Structural Engineer's Construction issued drawings, Fire Certificate and Fire Drawings, along with the consultants Mechanical and Electrical specifications and any other documentation.
- Do not scale from this drawings.
This drawing is representative only. All dimensions are in millimeters (mm), unless otherwise stated. Use the figured dimensions when shown.
- The exact location of all services and fittings to be agreed on site with the Architect and/or Structural Engineer prior to their installation.
- The Mechanical and Electrical Services are to be coordinated with all other trades and to be agreed on site prior to their installation. The contractor shall allow for the setting out and installation around all obstructions. Additional costs incurred by the contractor due to the lack of coordination will not be entertained.
- Connections to all equipment to be made by the contractor.
- Any discrepancies between this drawing and on site conditions must be reported to Renaissance Engineering LTD. immediately. Any changes from this design drawing must be agreed with the Engineer in writing. A failure to gain this approval could lead to difficulty in approving payment for the variation(s).
- Installation / Construction / As-Built Drawings to be prepared by the Mechanical/Electrical Contractor with reference to the latest Architect's and Structural Engineer's construction issue drawings and fire certificate drawings.
- All Electrical works to comply with the National Rules for Electrical Installations, 5th Edition IS 10101:2020.
- All Mechanical and Electrical works to comply with the current Building Regulations.

Renaissance Engineering	Address Telephone Email Web	2nd Floor, 67-70 Mearns Street, Dublin 8, D08 YCK4, Ireland +353 (0)1 675 0850 : info@reneng.ie : renaissanceengineering.ie										
Status Code: S0 - Initial Status												
<table><tr><td>P</td><td>2024/09/12</td><td>Preliminary Issue</td><td>G.B.</td><td>B.S.</td></tr><tr><td>Rev</td><td>Date</td><td>Revision Description</td><td>Dm.</td><td>Chk'd.</td></tr></table>			P	2024/09/12	Preliminary Issue	G.B.	B.S.	Rev	Date	Revision Description	Dm.	Chk'd.
P	2024/09/12	Preliminary Issue	G.B.	B.S.								
Rev	Date	Revision Description	Dm.	Chk'd.								
Client: Fenton Simons												
Architect: Davey + Smith Architects												
Project Name: LRO - Development at Oldcourt OldCourt Road, Ballycullen												
Sheet Name: Lighting Services Site												
Scale: 1 : 1500	Document Number: 24142-REN-ZZ-SS-DR-E-6300	Revision: P										
Approved By:	Revit Filename: 24142-REN-ZZ-SS-M3-ME-0001.rvt											